

CATALOGUE

2025



LIGHTING LINE

DESIGN ALUMINIUM PROFILES FOR LED STRIPS



LIGHTING LINE

ABOUT US



Building on years of experience in the lighting industry, Lighting Line specializes in designing and supplying aluminium profiles and LED strips.

The company has steadily grown over the years and, as of 2022, the entire Lighting Line product range is being manufactured in the newly established Chinese factory in Guangdong. The strategic move to start a proprietary production facility enables complete control over the production process, thus ensuring high quality

standards and more affordable prices.

Recent developments also resulted in a new layout for our stock with the installation of a brand new high-performance vertical warehouse in 2022. In addition to speeding up order processing, this state-of-the-art solution enhances the protection of our stock, improves productivity and drastically reduces the chance of human error.

Our wide selection of aluminum profiles proudly boasts an impeccable Italian design and our registered trademark **Orizzonte** has all the credentials to meet a virtually infinite number of requests for custom LED strips.

To date, our extensive catalog, the expertise of our team and the record delivery times of our logistics department combine to make us a competitive player in the industry.





DARK ROOM WITH GONIOPHOTOMETER AND INTEGRATING SPHERE SPECTRORADIOMETER

Innovation and technology play a key role in our company.

Our first investment in high-tech was the installation of a Dark Room with a Goniophotometer in 2018.

Light direction and intensity can be influenced by many aspects, such as LED's characteristics, the distance from the diffuser and its material, the shape of the profile itself. In order not to neglect these factors and provide reliable results we have carried out tests on our aluminum profiles with each diffuser using 14,4W/m and 9,6W/m LED strips with chip LED 2835. We can also carry out photometric tests on LED strips provided by customers so as to support them in the choice of the most suitable profile for their lighting projects.



The second device we systematically rely on to test our products is our integrating sphere spectroradiometer, which makes us able to measure the spectral radiance of our strips and thus to draft ad hoc test reports providing information on their efficiency, color temperature, wavelength, light quality (CRI) and many other features.

Full selection review — 5

Surface profiles — 19

LLP-SL01-01 (21x25mm)	19
LLP-SL02-06 (36x26mm)	20
LLP-SL03-02 (8x10mm)	22
LLP-SL04-04 (18x6mm - bendable)	23
LLP-SL05-03 (17x15mm)	24
LLP-SL06-05 (27x12mm)	25
LLP-SL07-05 (27x7mm)	26
LLP-SL08-03 (17x8mm)	27
LLP-SL09-12 (21x10mm - waterproof)	28
LLP-SL10-13 (21x16mm - waterproof)	29
LLP-SL11-01 (21x17mm)	30
LLP-SL12-16 (13x8mm)	31
LLP-SL13-0222 (8x5mm)	32
LLP-SL14-16 (13x12mm)	33
LLP-SL15-01 (21x13mm)	34
LLP-SL16-16 (13x13mm)	35
LLP-SL17-03 (17x7mm)	36
LLP-AC03-00 (15x10mm)	37

Recessed profiles — 38

LLP-RE01-03 (23x8mm)	38
LLP-RE02-03 (23x15mm)	39
LLP-RE03-05 (37x14mm)	40
LLP-RE04-07 (67x22mm)	41
LLP-RE05-01 (32x15mm)	42
LLP-RE06-01 (32x25mm)	43
LLP-RE07-12 (32x10mm - waterproof)	44
LLP-RE08-13 (32x16mm - waterproof)	45
LLP-RE09-0222 (8x9mm)	46
LLP-RE10-02 (21x9mm)	47
LLP-RE11-16 (17x12mm)	48
LLP-RE12-16 (21x9mm)	49
LLP-RE13-23 (21x12mm)	50
LLP-RE14-23 (15x8mm)	51

Corner profiles — 52

LLP-AN01-03 (19x19mm)	52
LLP-AN02-08 (16x16mm)	53
LLP-AN03-08 (16x16mm)	54
LLP-AN04-09 (30x30mm)	55
LLP-AN05-09 (30x30mm)	56
LLP-AN06-20 (10x10mm)	57

Wall profiles — 58

LLP-WL01-03 (18x48mm)	58
LLP-WL02-03 (24x24mm)	59
LLP-WL03-01 (30x28mm)	60
LLP-WL04-05 (70x31mm)	61

Concrete profiles — 62

LLP-CC01-06	62
-------------	----

Suspension profiles — 63

LLP-CL01-06 (36x75mm)	63
LLP-CL02-07 (50x75mm)	65
LLP-CL04-18 (60x73mm)	67

Round profiles — 68

LLP-NE01-14 (30mm diameter)	68
LLP-NE02-15 (diametro 30mm - waterproof)	69
LLP-NE03-17 (75mm diameter)	70



LLP-NE04-19 (50mm diameter) — 71

Tiling profiles — 72

LLP-TI01-11 (58x12mm - walkable/waterproof) — 72

LLP-TI02-10 (8x39mm) — 73

LLP-TI03-10 (11x39mm) — 74

LLP-ST01-00 (30x27mm) — 75

Floor profiles — 76

LLP-FL01-21 (20x11mm - walkable) — 76

LLP-FL02-21 (20x26mm - walkable) — 77

LLP-FL03-21 (25x11mm - walkable) — 78

Drywall profiles — 79

LLP-DW01-03 (16x12mm) — 79

LLP-DW02-03 (64x22mm) — 80

LLP-DW03-03 (32x42mm) — 81

LLP-DW04-06 (35x49mm) — 82

LLP-DW05-07 (50x49mm) — 84

LLP-DW06-02 (50x10mm) — 85

LLP-DW07-01 (62x12,5mm) — 86

LLP-DW08-03 (57x10mm) — 87

LLP-DW09-01 (97x35mm) — 88

LLP-DW10-05 (54x47mm) — 89

LLP-DW11-03 (72x31mm) — 90

LLP-DW14-03 (36x34mm) — 91

LLP-DW15-03 (38x11mm) — 92

LLP-DW16-03 (54x32mm) — 93

Baseboard profiles — 94

LLP-BB01-02 (14x80mm) — 94

LLP-BB02-02 (75x12mm) — 95

Handrail profiles — 96

LLP-HR01-0203 (107x144mm) — 96

Furniture profiles — 98

LLP-SH01-03 (20x20mm) — 98

LLP-SH02-03 (22x20mm) — 99

LLP-SH03-03 (22x27mm) — 100

LLP-WB01-00 (15x29mm) — 101

Mirror profiles — 102

LLP-MR01-03 (58x30mm) — 102











Matching between covers and profiles — 103

Full profile selection — 104

Key — 106



SURFACE



SKU	Photo	Section	Accessories	Application	Page
LLP-SL08-03 (17x8mm)				Surface	27
LLP-SL13-0222 (8x5mm)				Surface Furniture	32
LLP-SL03-02 (8x10mm)				Surface Furniture	22
LLP-SL12-16 (13x8mm)				Surface Furniture	31
LLP-SL14-16 (13x12mm)				Surface Furniture	33
LLP-SL16-16 (13x13mm)				Surface	35
LLP-AC03-00 (15x10mm)			-	Surface	37
LLP-SL17-03 (17x7mm)				Surface	36









SURFACE








SKU	Photo	Section	Accessories	Application	Page
LLP-SL05-03 (17x15mm)				Surface	24
LLP-SL04-04 (18x6mm) Bendable				Surface Furniture	23
LLP-SL09-12 (21x10mm) Waterproof				Surface	28
LLP-SL15-01 (21x13mm)				Surface	34
LLP-SL10-13 (21x16mm) Waterproof				Surface	29
LLP-SL11-01 (21x17mm)				Surface	30
LLP-SL01-01 (21x25mm)				Surface	19
LLP-SL07-05 (27x7mm)				Surface	26



LLP-SL06-05 (27x12mm)				Surface	25
LLP-SL02-06 (36x26mm)				Surface	20





RECESSED					
SKU	Photo	Section	Accessories	Application	Page
LLP-RE01-03 (23x8mm)				Recessed Furniture	38
LLP-RE09-0222 (8x9mm)				Recessed Furniture	47
LLP-RE11-16 (17x12mm)			-	Recessed Furniture	48
LLP-RE10-02 (21x9mm)			-	Recessed Furniture	47
LLP-RE12-16 (17x17mm)			-	Recessed Furniture	49
LLP-RE13-23 (17x17mm)			-	Recessed Furniture	50

RECESSED


SKU	Photo	Section	Accessories	Application	Page
LLP-RE02-03 (23x15mm)				Recessed	39
LLP-RE07-12 (32x10mm) Waterproof				Recessed	44
LLP-RE05-01 (32x15mm)				Recessed	42
LLP-RE08-13 (32x16mm) Waterproof				Recessed	45
LLP-RE06-01 (32x25mm)				Recessed	43
LLP-RE03-05 (37x14mm)				Recessed	40
LLP-RE04-07 (67x22mm)				Recessed	41
LLP-RE14-23 (15x8mm)			-	Recessed Furniture	51



CORNER





Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-AN02-08 (16x16mm)				Corner	53
LLP-AN06-20 (10x10mm)				Corner Furniture	57
LLP-AN03-08 (16x16mm)				Corner	54
LLP-AN01-03 (19x19mm)				Corner Furniture	52
LLP-AN04-09 (30x30mm)				Corner	55
LLP-AN05-09 (30x30mm)				Corner	56

MIRROR





Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-MR01-03 (58x30mm)				Mirror	102



WALL

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-WL01-03 (18x48mm)				Wall	58
LLP-WL02-03 (24x24mm)				Wall	59
LLP-WL03-01 (30x28mm)				Wall	60
LLP-WL04-05 (70x31mm)				Wall	61

SUSPENSION


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CL02-07 (50x75mm)				Suspension	65
LLP-CL01-06 (36x75mm)				Suspension	63
LLP-CL04-18 (60x73mm)				Suspension	67




ROUND

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-NE01-14 (30mm diameter)				Round	68
LLP-NE02-15 (30mm diameter) Waterproof				Round	69
LLP-NE04-19 (50mm diameter)				Round	71
LLP-NE03-17 (75mm diameter)				Round	70

CONCRETE




Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-CC01-06 (45,5x36mm)				Concrete	62

HANDRAIL




Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-HR01-0203 (107x144mm)			-	Handrail	96



TILING







Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-TI03-10 (12x41mm)			-	Tiling	74
LLP-TI02-10 (8x40mm)			-	Tiling	73
LLP-ST01-00 (30x27mm)			-	Tiling	75
LLP-TI01-11 (58x12mm) Walkable Waterproof				Tiling	72

FLOOR

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-FL01-21 (20x11mm)				Floor	76
LLP-FL02-21 (20x26mm)				Floor	77
LLP-FL03-21 (25x11mm)				Floor	78






DRYWALL


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW08-03 (57x10mm)			-	Drywall	87
LLP-DW01-03 (16x12mm)			-	Drywall	79
LLP-DW03-03 (32x42mm)			-	Drywall	81
LLP-DW04-06 (35x49mm)				Drywall	82
LLP-DW14-03 (36x34mm)			-	Drywall	91
LLP-DW06-02 (50x10mm)			-	Drywall	85
LLP-DW05-07 (50x49mm)				Drywall	84
LLP-DW16-03 (54x32mm)				Drywall	93



DRYWALL


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-DW10-05 (54x47mm)				Drywall	89
LLP-DW07-01 (62x12,5mm)				Drywall	86
LLP-DW02-03 (64x22mm)			-	Drywall	80
LLP-DW11-03 (72x31mm)				Drywall	90
LLP-DW09-01 (97x35mm)				Drywall	88

BASEBOARD








Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-BB01-02 (14x80mm)				Baseboard	94
LLP-BB02-02 (75x12mm)			-	Baseboard	95



FURNITURE











FURNITURE

Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-SH01-03 (20x20mm)				Shelf Furniture	98
LLP-SH02-03 (22x20mm)			-	Shelf Furniture	99
LLP-SH03-03 (22x27mm)				Shelf Furniture	100
LLP-WB01-00 (15x29mm)			-	Furniture	101
LLP-RE09-0222 (8x9mm)				Recessed Furniture	46
LLP-RE10-02 (21x9mm)			-	Recessed Furniture	47
LLP-RE11-16 (17x12mm)			-	Recessed Furniture	48
LLP-RE12-16 (17x17mm)			-	Recessed Furniture	49



FURNITURE


Part No. (SKU)	Photo	Section	Accessories	Application	Page
LLP-RE01-03 (23x8mm)				Recessed Furniture	38
LLP-AN01-03 (19x19mm)				Corner Furniture	51
LLP-AN06-20 (10x10mm)				Corner Furniture	56
LLP-SL04-04 (18x6mm) Bendable				Surface Furniture	23
LLP-SL12-16 (13x8mm)				Surface Furniture	31
LLP-SL13-02 (8x5mm)				Surface Furniture	32
LLP-SL14-16 (13x12mm)				Surface Furniture	33
LLP-RE13-23 (17x17mm)			-	Recessed Furniture	50





LLP-SL01-01


Available in 2m and 3m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -25%)




Low opal cover
(light reduction: -31%)

INSTALLATION



END CAPS



MOUNTING CLIPS





A	B	C	D	E	G	H	I	L
Article		Description		Length	Material	Color	Picture	Packaging
LLP-SL01-01-S2 / LLP-SL01-01-S3		Surface profile		2m / 3m	Anodized aluminium	Silver		50 pcs
LLP-SL01-01-B2		Surface profile		2m	Anodized aluminium	Black cover		50 pcs
LLP-SL01-01-W2 / LLP-SL01-01-W3		Surface profile		2m / 3m	Painted aluminium	White		120 pcs
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3		High opal / frosted cover		2m / 3m	Polycarbonate	–		350 pcs
LLD-01-FM2 / LLD-01-FM3		Low opal cover		2m	Polycarbonate	–		250 pcs
LLD-01-FS2		Low frosted cover		2m	Polycarbonate	–		400 pcs
LLE-SL01A-GP-N / -BP-N / -WP-N		High end cap		–	Plastic	Grey / Black / White	A	–
LLE-SL01B-GP-N / -BP-N / -WP-N		Low end cap		–	Plastic	Grey / Black / White	B	–
LLM-IN01-M		Mounting clip		–	Metal	–	C	–
LLM-SP02-M		Mounting spring		–	Metal	–	D	–
LLM-CL01-M / LLM-CL02-M		Suspension kit		2m	Metal	–	E / F	–
LLM-AC01-M		Straight connector		–	Metal	–	G	–
LLM-AC02-M		120° horizontal connector		–	Metal	–	H	–
LLM-AC03-M		90° horizontal connector		–	Metal	–	I	–
LLM-AC04-M		90° vertical connector		–	Metal	–	L	–




LLP-SL02-06




Available in 3m for LED strips up to 20 mm width





COVERS





INSTALLATION



Photometric curves carried out
changing the position of lower cover




— C0-C180 — C90-C270
Flat opal cover: -36%
Flat frosted cover: -38%




— C0-C180 — C90-C270
Outside opal cover: -40%
Outside frosted cover: -42%

Photometric curves carried out using the lens covers



END CAPS



MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL02-06-S3	Surface profile	3m	Anodized aluminium	Silver		18 pcs
LLP-SL02-06-B3	Surface profile	3m	Anodized aluminium	Black		18 pcs
LLP-SL02-06-W3	Surface profile	3m	Painted aluminium	White		18 pcs
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver		—
LLD-06-CM3	Opal cover	3m	Polycarbonate	—		30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	—		30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	—		—
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	—		—
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	—		—
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	—		—
LLE-SL02-GP-N / -BP-N / -WP-N	End cap without hole	—	Plastic	Gray / Black / White	A	—
LLE-D06C-WP-X	White end cap for diffuser	—	Plastic	White	B	—
LLM-IN01-M	Mounting clip	—	Metal	—	C	—
LLM-SP02-M	Mounting spring	—	Metal	—	D	—
LLM-CL01-M	Suspension kit	2m	Metal	—	E	—
LLM-CL02-M	Suspension kit	2m	Metal	—	F	—
LLM-AC01-M	Straight connector	—	Metal	—	G	—
LLM-AC02-M	120° horizontal connector	—	Metal	—	H	—
LLM-AC03-M	90° horizontal connector	—	Metal	—	I	—
LLM-AC04-M	90° vertical connector	—	Metal	—	L	—


LLP-SL03-02

Available in 2m and 3m for LED strips up to 6 mm width

COVERS




PHOTOMETRIC CURVE



Opal cover: -35%
Frosted cover: -38%




INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL03-02-S2 / LLP-SL03-02-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		100 / 160 pcs
LLP-SL03-02-W2	Surface profile	2m	Painted aluminium	White		100 / 160 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	-		600 / 300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	-		600 / 300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-
LLM-IN03-M	Mounting clip	-	Metal	-	B	-





LLP-SL04-04

Available in 2m for LED strips up to 13mm width


COVERS



PHOTOMETRIC CURVE



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL04-04-S2	Surface profile	2m	Anodized aluminium	Silver		160 pcs
LLD-04-UM2	Opal cover	2m	Polycarbonate	-		240 pcs
LLE-SL04-GP-N	End cap without hole	-	Plastic	Grey	A	1250 pcs
LLE-SL04-GP-W	End cap with hole	-	Plastic	Grey	B	1250 pcs
LLM-ES03-M	Mounting clip	-	Metal	-	C	-




LLP-SL05-03


Available in 2m and 3m for LED strips up to 12mm width



INSTALLATION



END CAPS




MOUNTING CLIPS




COVERS




PHOTOMETRIC CURVE




Transparent cover 50°
(light reduction: -34%)




Semiopal cover 67°
(light reduction: -38%)



Opal cover: -49%
Frosted cover: -55%



Black diffuser
(light reduction: -89%)



18° lens cover
(light reduction: -34%)


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL05-03-S2 / LLP-SL05-03-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		70 pcs
LLP-SL05-03-B2 / LLP-SL05-03-B3	Surface profile	2m / 3m	Anodized aluminium	Black		70 pcs
LLP-SL05-03-W2 / LLP-SL05-03-W3	Surface profile	2m / 3m	Painted aluminium	White		70 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	PMMA	–		–
LLE-SL05-GP-N / -BP-N / -WP-N	End cap without hole	–	Plastic	Grey / Black / White	A	–
LLE-SL05-GP-W / -BP-W / -WP-W	End cap with hole	–	Plastic	Grey / Black / White	B	–
LLE-SL05-GP-F / -BP-F / -WP-F	End cap for furniture	–	Plastic	Grey / Black / White	C	–
LLM-ES02-M / LLM-ES02-P	Mounting clip	–	Metal / Plastic	–	D / E	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	F	–




LLP-SL06-05

Available in 2m and 3m for LED strips up to 12mm width

COVERS




PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover
(light reduction: -14%)



— C0-C180 — C90-C270

Opal cover: -32%
Frosted cover: -33%



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL06-05-S2 / LLP-SL06-05-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		50 pcs
LLP-SL06-05-W2 / LLP-SL06-05-W3	Surface profile	2m / 3m	Painted aluminium	White		50 pcs
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2m / 3m	Polycarbonate	–		240 / 140 pcs
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	–		240 / 140 pcs
LLD-05-FS2 / LLD-05-FS3	Frosted cover	2m / 3m	Polycarbonate	–		240 / 140 pcs
LLE-SL06-GP-N / LLE-SL06-WP-N	End cap without hole	–	Plastic	Grey / White	A	–
LLE-SL06-GP-W / LLE-SL06-WP-W	End cap with hole	–	Plastic	Grey / White	B	–
LLM-ES04-M	Mounting clip	–	Metal	–	C	–




LLP-SL07-05

Available in 2m and 3m for LED strips up to 24 mm width


COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -8%)



Opal cover: -26%
Frosted cover: -27%



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL07-05-S2 / PR-SL07-05-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		-
LLP-SL07-05-W2	Surface profile	2m	Painted aluminium	White		-
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2m / 3m	Polycarbonate	-		240 pcs
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-		240 pcs
LLD-05-FS2 / PRD-05-FS3	Frosted cover	2m / 3m	Polycarbonate	-		240 pcs
LLE-SL07-GP-N / LLE-SL07-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-SL07-GP-W / LLE-SL07-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-ES04-M	Mounting clip	-	Metal	-	C	-




LLP-SL08-03

Available in 2m and 3m for LED strips up to 12mm width



INSTALLATION



END CAPS




MOUNTING CLIPS




COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%



Black diffuser
(light reduction: -84%)



60° lens cover
(light reduction: -16%)


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL08-03-S2 / LLP-SL08-03-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		120 / 80 pcs
LLP-SL08-03-B2 / LLP-SL08-03-B3	Surface profile	2m / 3m	Anodized aluminium	Black		120 / 80 pcs
LLP-SL08-03-W2 / LLP-SL08-03-W3	Surface profile	2m / 3m	Painted aluminium	White		120 / 80 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–		–
LLE-SL08-GP-N / -BP-N / -WP-N	End cap without hole	–	Plastic	White / Black	A	–
LLE-SL08-GP-W / -BP-W / -WP-W	End cap with hole	–	Plastic	White / Black	B	–
LLE-SL08-GP-F / -BP-F / -WP-F	End cap for furniture	–	Plastic	White / Black	C	–
LLM-ES01-M / LLM-ES01-P	Mounting clip	–	Metal / Plastic	–	D / E	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	F	–




LLP-SL09-12

Available in 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL09-12-S3	Waterproof surface profile	3m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver		-
LLD-12-WK3	Transparent cover		Polycarbonate	-		-
LLD-12-WM3	Opal cover	3m	Polycarbonate	-		-
LLE-SL09-GP-N	End cap without hole	-	Plastic	Grey	A	400 pcs
LLE-SL09-GP-W	End cap with hole	-	Plastic	Grey	B	400 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	C	400 pcs
LLM-ES07-M	Mounting clip	-	Metal	-	D	-



LLP-SL10-13


Available in 3m for LED strips up to 12mm width




COVERS



PHOTOMETRIC CURVE



INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL10-13-S3	Waterproof surface profile	3m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver		-
LLD-13-WM3	Opal cover	3m	Polycarbonate	-		-
LLE-SL10-GP-N	End cap without hole	-	Plastic	Grey	A	300 pcs
LLE-SL10-GP-W	End cap with hole	-	Plastic	Grey	B	300 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	C	200 pcs
LLM-ES08-M	Mounting clip	-	Metal	-	D	-




LLP-SL11-01

Available in 2m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE



High opal cover
(light reduction: -26%)



INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL11-01-S2	Surface profile	2m	Anodized aluminium	Silver		-
LLP-SL11-01-W2 / LLP-SL11-01-W3	Surface profile	2m / 3m	Painted aluminium	White		-
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	-		-
LLE-SL11-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL11-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-IN04-M	Mounting clip	-	Metal	-	B	-
LLM-SP02-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-




LLP-SL12-16

Available in 2 e 3m for LED strips up to 10 mm width


COVERS




PHOTOMETRIC CURVE



Opal cover: -37%
Frosted cover: -37%




INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL12-16-S2 / LLP-SL12-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		-
LLP-SL12-16-W2 / LLP-SL12-16-W3	Surface profile	2m / 3m	Painted aluminium	White		-
LLD-16-FK2 / LLD-16-FK3	Transparent cover	2m / 3m	Polycarbonate	-		-
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-		-
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	-		-
LLE-SL12-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL12-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-SL12-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-SL12-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-SL12-GP-F	End cap for furniture	-	Plastic	Grey	C	-
LLE-SL12-WP-F / LLE-SL12-BP-F	End cap for furniture	-	Plastic	White / Black	C	-
LLM-ES09-M	Mounting clip		Metal	-	D	-



LLP-SL13-0222


Available in 2m for LED strips up to 6 mm width




COVERS




PHOTOMETRIC CURVE




Opal cover
(light reduction: -27%)



Frosted cover
(light reduction: -24%)



Opal cover with fins
(light reduction: -26%)



INSTALLATION



END CAPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL13-0222-S2 / LLP-SL13-0222-B2	Surface profile	2m	Anodized aluminium	Silver / Black		-
LLP-SL13-0222-W2	Surface profile	2m	Painted aluminium	White		-
LLD-02-FM2 / LLD-02-FS2	Opal / Frosted cover	2m	Polycarbonate	-		300 pcs
LLD-22-FM2	Opal cover	2m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-




LLP-SL14-16

Available in 2 and 3m for LED strips up to 10 mm width

COVERS



PHOTOMETRIC CURVE



Opal cover: -48%
Frosted cover: -48%



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL14-16-S2 / LLP-SL14-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		-
LLP-SL14-16-B2 / LLP-SL14-16-B3	Surface profile	2m / 3m	Anodized aluminium	Black		-
LLP-SL14-16-W2 / LLP-SL14-16-W3	Surface profile	2m / 3m	Painted aluminium	White		-
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-		-
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	-		-



LLP-SL15-01


Available in 2m and 3m for LED strips up to 18 mm width




COVERS




PHOTOMETRIC CURVE



Low opal cover
(light reduction: -39%)




Low frosted cover
(light reduction: -41%)



High opal cover
(light reduction: -31%)

INSTALLATION



MOUNTING CLIPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL15-01-S2	Surface profile	2m	Anodized aluminium	Silver		-
LLP-SL15-01-B2	Surface profile	2m	Anodized aluminium	Black		-
LLP-SL15-01-W2 / LLP-SL15-01-W3	Surface profile	2m / 3m	Painted aluminium	White		-
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	-		-
LLD-01-FM2 / LLD-01-FM3	Low opal cover	2m / 3m	Polycarbonate	-		-
LLD-01-FS2	Low frosted cover	2m	Polycarbonate	-		-
LLM-ES10-M	Mounting clip	-	Metal	-	A	-




LLP-SL16-16

Available in 2 and 3m for LED strips up to 10 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -41%)



Frosted cover
(light reduction: -41%)



INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL16-16-S2 / LLP-SL16-16-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		-
LLP-SL16-16-B2 / LLP-SL16-16-B3	Surface profile	2m / 3m	Anodized aluminium	Black		-
LLP-SL16-16-W2 / LLP-SL16-16-W3	Surface profile	2m / 3m	Painted aluminium	White		-
LLD-16-FM2-C20 / LLD-16-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-		-
LLD-16-FS2 / LLD-16-FS3	Frosted cover	2m / 3m	Polycarbonate	-		-




LLP-SL17-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -2%)




Semiopal cover
(light reduction: -9%)



Opal cover: -24%
Frosted cover: -22%



Black diffuser
(light reduction: -86%)




60° lens cover
(light reduction: -3%)

INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL17-03-S2 / LLP-SL17-03-S3	Surface profile	2m / 3m	Anodized aluminium	Silver		–
LLP-SL17-03-B2 / LLP-SL17-03-B3	Surface profile	2m / 3m	Anodized aluminium	Black		–
LLP-SL17-03-W2 / LLP-SL17-03-W3	Surface profile	2m / 3m	Painted aluminium	White		–
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		–
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		–
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		–
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2m / 3m	Polycarbonate	White / Black		–
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	Polycarbonate	–		–
LLE-SL17-WP-N / LLE-SL17-BP-N	End cap without hole	–	Plastic	White / Black	A	–
LLE-SL17-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-SL17-WP-W / LLE-SL17-BP-W	End cap with hole	–	Plastic	White / Black	B	–
LLE-SL17-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLM-ES11-M	Mounting clip	–	Metal	–	C	–
LLM-ES01-P	Mounting clip	–	Plastic	–	D	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	E	–




LLP-AC03-00


Available in 3m for IP protection LED strip up to 12mm width




PHOTOMETRIC CURVE



Light reduction: -21%



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AC03-00-S3	Surface profile	3m	Anodized aluminium	Silver		-




LLP-RE01-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 90°
(light reduction: -16%)




Semiopal cover 90°
(light reduction: -20%)



Opal cover: -32%
Frosted cover: -39%



Black diffuser
(light reduction: -84%)



60° lens cover
(light reduction: -16%)

INSTALLATION



END CAPS



A

B

C

D


Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE01-03-S2 / LLP-RE01-03-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE01-03-B2 / LLP-RE01-03-B3	Recessed profile	2m / 3m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE01-03-W2 / LLP-RE01-03-W3	Recessed profile	2m / 3m	Painted aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3 / LLD-03-FB2(3)	Frosted cover	2m / 3m	Polycarbonate	White / Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–		–
LLE-RE01-WP-N / LLE-RE01-BP-N	End cap without hole	–	Plastic	White / Black	A	–
LLE-RE01-GP-N	End cap without hole	–	Plastic	Grey	A	–
LLE-RE01-WP-W / LLE-RE01-BP-W	End cap with hole	–	Plastic	White / Black	B	–
LLE-RE01-GP-W	End cap with hole	–	Plastic	Grey	B	–
LLE-RE01-WP-W100A	Rounded end cap with cable	–	Plastic	White	C	–
LLE-RE01-WP-R	Rounded end cap	–	Plastic	White	D	–




LLP-RE02-03

Available in 2m and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 50°
(light reduction: -34%)




Semiopal cover 67°
(light reduction: -38%)



Opal cover: -49%
Frosted cover: -55%



Black diffuser
(light reduction: -89%)



18° Lens cover
(light reduction: -34%)

INSTALLATION



END CAPS



A

B



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE02-03-S2 / LLP-RE02-03-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE02-03-B2 / LLP-RE02-03-B3	Recessed profile	2m / 3m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE02-03-W2 / LLP-RE02-03-W3	Recessed profile	2m / 3m	Painted aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted diffuser	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	Polycarbonate	Grey / Black / White		–
LLE-RE02-GP-W / -BP-N / -WP-N	End cap with hole	–	Plastic	Grey / Black / White	B	–
LLE-RE02-GP-W / -BP-W / -WP-W	End cap with hole	–	Plastic	Grey	B	–




LLP-RE03-05

Available in 2m for LED strips up to 12mm width


COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -14%)



Opal cover: -32%
Frosted cover: -33%



INSTALLATION



END CAPS



MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE03-05-S2	Recessed profile	2m	Anodized aluminium	Silver		-
LLD-05-FK2	Transparent cover	2m	Polycarbonate	-		240 pcs.
LLD-05-FM2-C20	Opal cover	2m	Polycarbonate	-		240 pcs
LLD-05-FS2	Frosted cover	2m	Polycarbonate	-		240 pcs
LLE-RE03-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE03-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-ES01-M	Mounting clip	-	Metal	-	C	-
LLM-SP01-M	Mounting spring	-	Metal	-	D	-




LLP-RE04-07

Available in 2m for LED strips up to 43mm width


COVERS



PHOTOMETRIC CURVE




Low opal cover: -39%
Low frosted cover: -41%



High opal cover: -38%
High frosted cover: -39%

INSTALLATION



END CAPS



A

B

MOUNTING CLIPS



C

D

E

F

G

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE04-07-S2	Recessed profile	2m	Anodized aluminium	Silver		-
LLP-RE04-07-W2	Recessed profile	2m	Painted aluminium	White		-
LLD-07-CM2	Opal cover	2m	Polycarbonate	-		-
LLD-07-CS2	Frosted cover	2m	Polycarbonate	-		-
LLE-RE04B-GP-W / LLE-RE04B-WP-W	Low end cap	-	Plastic	Grey / White	A	-
LLE-RE04A-GP-W / LLE-RE04A-WP-W	High end cap	-	Plastic	Grey / White	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-




LLP-RE05-01

Available in 2m for LED strips up to 17 mm width


COVERS




PHOTOMETRIC CURVE




High opal cover
(light reduction: -29%)



Flat opal cover
(light reduction: -36%)



INSTALLATION



END CAPS

MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE05-01-S2	Recessed profile	2m	Anodized aluminium	Silver		-
LLP-RE05-01-W2	Recessed profile	2m	Painted aluminium	White		-
LLD-01-CM2	High opal cover	2m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-		190 pcs
LLE-RE05-GP-W / LLE-RE05-WP-W	End cap with hole	-	Plastic	Grey / White	A	250 pcs
LLE-D01C-GP-X / LLE-D01C-WP-X	End cap for high cover	-	Plastic	Grey / White	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-






LLP-RE06-01

Available in 2m for LED strips up to 17 mm width

COVERS



PHOTOMETRIC CURVE



INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE06-01-S2	Recessed profile	2m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-		190 pcs
LLE-RE06-GP-W	End cap with hole	-	Plastic	Grey	A	150 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-




LLP-RE07-12

Available in 3m for LED strips up to 12mm width


COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE07-12-S3	Waterproof recessed profile	3m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver		-
LLD-12-WK3	Transparent cover		Polycarbonate	-		-
LLD-12-WM3	Opal cover	3m	Polycarbonate	-		-
LLE-RE07-GP-W	External end cap with hole	-	Plastic	Grey	A	300 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	B	400 pcs



LLP-RE08-13


Available in 3m for LED strips up to 12mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -44%)



INSTALLATION



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE08-13-S3	Waterproof recessed profile	3m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strips	3m	Anodized aluminium	Silver		-
LLD-13-WM3	Opal cover	3m	Polycarbonate	-		-
LLE-RE08-GP-W	External end cap with hole	-	Plastic	Grey	A	200 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	B	200 pcs




LLP-RE09-0222

Available in 2m and 3m for LED strips up to 6 mm width


COVERS



PHOTOMETRIC CURVE




Opal cover: -50%
Frosted cover: -53%



Opal cover with fins
(light reduction: -50%)



INSTALLATION



END CAPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE09-0222-S2 / LLP-RE09-0222-S3	Recessed profile	2m / 3m	Anodized aluminium	Silver		160 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	-		300 pcs
LLD-22-FM2 / LLD-22-FM3	Opal cover with fins	2m / 3m	Polycarbonate	-		-
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-




LLP-RE10-02

Available in 2m for LED strips up to 6 mm width

COVERS



PHOTOMETRIC CURVE



Opal cover: -46%
Frosted cover: -50%



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE10-02-S2	Recessed profile	2m	Anodized aluminium	Silver		-
LLP-RE10-02-S3	Recessed profile	3m	Anodized aluminium	Silver		-
LLP-RE10-02-B2	Recessed profile	2m	Anodized aluminium	Black		-
LLP-RE10-02-B3	Recessed profile	3m	Anodized aluminium	Black		-
LLP-RE10-02-W2	Recessed profile	2m	Painted aluminium	White		-
LLP-RE10-02-W3	Recessed profile	3m	Painted aluminium	White		-
LLD-02-FM2	Opal cover	2m	Polycarbonate	-		300 pcs
LLD-02-FM3	Opal cover	3m	Polycarbonate	-		300 pcs
LLD-02-FS2	Frosted cover	2m	Polycarbonate	-		300 pcs
LLD-02-FS3	Frosted cover	3m	Polycarbonate	-		300 pcs




LLP-RE11-16

Available in 2,5 and 3m for LED strips up to 10 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -48%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE11-16-S2.5	Recessed profile	2,5m	Anodized aluminium	Silver		-
LLP-RE11-16-S3	Recessed profile	3m	Anodized aluminium	Silver		-
LLP-RE11-16-B2.5	Recessed profile	2,5m	Anodized aluminium	Black		-
LLP-RE11-16-B3	Recessed profile	3m	Anodized aluminium	Black		-
LLP-RE11-16-W2.5	Recessed profile	2,5m	Painted aluminium	White		-
LLP-RE11-16-W3	Recessed profile	3m	Painted aluminium	White		-
LLD-16-FM2.5-C20	Opal cover	2,5m	Polycarbonate	-		-
LLD-16-FM3-C20	Opal cover	3m	Polycarbonate	-		-
LLD-16-FS3	Frosted cover	3m	Polycarbonate	-		-




LLP-RE12-16

Available in 2.5 and 3m for LED strips up to 10 mm width


COVERS




PHOTOMETRIC CURVE



Opal cover: -48%



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE12-16-S2.5	Recessed profile	2,5m	Anodized aluminium	Silver		-
LLP-RE12-16-S3	Recessed profile	3m	Anodized aluminium	Silver		-
LLP-RE12-16-B2.5	Recessed profile	2,5m	Anodized aluminium	Black		-
LLP-RE12-16-B3	Recessed profile	3m	Anodized aluminium	Black		-
LLP-RE12-16-W2.5	Recessed profile	2,5m	Painted aluminium	White		-
LLP-RE12-16-W3	Recessed profile	3m	Painted aluminium	White		-
LLD-16-FM2.5-C20	Opal cover	2,5m	Polycarbonate	-		-
LLD-16-FM3-C20	Opal cover	3m	Polycarbonate	-		-
LLD-16-FS3	Frosted cover	3m	Polycarbonate	-		-




LLP-RE13-23

Available in 2.5 and 3m for LED strips up to 10 mm width

COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -39%)



INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE13-23-S2.5 / LLP-RE13-23-S3	Recessed profile	2.5 / 3m	Anodized aluminium	Silver		-
LLP-RE13-23-B2.5 / LLP-RE13-23-B3	Recessed profile	2.5 / 3m	Anodized aluminium	Black		-
LLP-RE13-23-W2.5 / LLP-RE13-23-W3	Recessed profile	2.5 / 3m	Painted aluminium	White		-
LLD-23-FM2.5 / LLD-23-FM3	Opal cover	2.5 / 3m	Polycarbonate	-		-




LLP-RE14-23

Available in 2.5 and 3m for LED strips up to 10 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -35%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE14-23-S2.5 / LLP-RE14-23-S3	Recessed profile	2.5 / 3m	Anodized aluminium	Silver		-
LLP-RE14-23-B2.5 / LLP-RE14-23-B3	Recessed profile	2.5 / 3m	Anodized aluminium	Black		-
LLP-RE14-23-W2.5 / LLP-RE14-23-W3	Recessed profile	2.5 / 3m	Painted aluminium	White		-
LLD-23-FM2.5 / LLD-23-FM3	Opal cover	2.5 / 3m	Polycarbonate	-		-




LLP-AN01-03

Available in 2m and 3m for LED strips up to 14 mm width


COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -25%)




Semiopal cover
(light reduction: -29%)




Opal cover: -41%
Frosted cover: -47%

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN01-03-S2 / LLP-AN01-03-S3	Corner profile	2m / 3m	Anodized aluminium	Silver		40 pcs
LLP-AN01-03-W2 / LLP-AN01-03-W3	Corner profile	2m / 3m	Painted aluminium	White		40 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted diffuser	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	40° lens	2m / 3m	PMMA	–		–
LLE-AN01-GP-N / LLE-AN01-WP-N	End cap without hole	–	Plastic	Grey / White	A	–
LLE-AN01-GP-W / LLE-AN01-WP-W	End cap with hole	–	Plastic	Grey / White	B	–
LLM-IN01-M	Mounting clip	–	Metal	–	C	–



LLP-AN02-08


Available in 2m and 3m for LED strips up to 10 mm width




COVERS



PHOTOMETRIC CURVE



Transparent cover
(light reduction: -9%)



Opal cover: -25%
Frosted cover: -28%




INSTALLATION



MOUNTING CLIPS



END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN02-08-S2 / LLP-AN02-08-S3	Corner profile	2m / 3m	Anodized aluminium	Silver		100 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	–	Plastic	Grey	A	–
LLE-AN0203-GP-W	Round end cap with hole	–	Plastic	Grey	B	–
LLM-ES05-M	Mounting clip	–	Metal	–	C	–
LLM-ES05-P	Mounting clip	–	Plastic	–	D	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	E	–



LLP-AN03-08


Available in 2m and 3m for LED strips up to 10 mm width




COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -9%)



Opal cover: -25%
Frosted cover: -28%


INSTALLATION



MOUNTING CLIPS



END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN03-08-S2 / LLP-AN03-08-S3	Corner profile	2m / 3m	Anodized aluminium	Silver		120 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2m / 3m	Polycarbonate	–		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	–	Plastic	Grey	A	–
LLE-AN0203-GP-W	Round end cap with hole	–	Plastic	Grey	B	–
LLM-ES05-M	Mounting clip	–	Metal	–	C	–
LLM-ES05-P	Mounting clip	–	Plastic	–	D	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	E	–



LLP-AN04-09


Available in 2m and 3m for LED strips up to 21 mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -7%)




Opal cover: -22%
Frosted cover: -28%




Opal L cover
(light reduction: -25%)

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN04-09-S2 / LLP-AN04-09-S3	Corner profile	2m / 3m	Anodized aluminium	Silver		50 / 32 pcs
LLP-AN04-09-W2	Corner profile	2m	Painted aluminium	White		50 pcs
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2m / 3m	Polycarbonate	–		140 pcs
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2m / 3m	Polycarbonate	–		140 pcs
LLD-09-US2 / LLD-09-US3	Round frosted cover	2m / 3m	Polycarbonate	–		140 pcs
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2m / 3m	Polycarbonate	–		100 pcs
LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	–	Plastic	Grey / White	A	–
LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	–	Plastic	Grey / White	B	–
LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	–	Plastic	Grey / White	C	–
LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	–	Plastic	Grey / White	D	–
LLM-ES06-M	Mounting clip	–	Metal	–	E	–
LLM-ES06-P	Mounting clip	–	Plastic	–	F	–
LLM-AC05-P	90° mounting clip	–	Plastic	–	G	–



LLP-AN05-09


Available in 2m and 3m for LED strips up to 21 mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -7%)




Opal cover: -22%
Frosted cover: -28%




Opal L cover
(light reduction: -25%)


INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN05-09-S2 / LLP-AN05-09-S3	Corner profile	2m / 3m	Anodized aluminium	Silver		-
LLP-AN05-09-W3	Corner profile	3m	Painted aluminium	White		-
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2m / 3m	Polycarbonate	-		140 pcs
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2m / 3m	Polycarbonate	-		140 pcs
LLD-09-US2 / LLD-09-US3	Round frosted cover	2m / 3m	Polycarbonate	-		140 pcs
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2m / 3m	Polycarbonate	-		100 pcs
LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	-	Plastic	Grey / White	A	-
LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	-	Plastic	Grey / White	B	-
LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	-	Plastic	Grey / White	C	-
LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	-	Plastic	Grey / White	D	-
LLM-IN02-M	Internal mounting clip	-	Metal	-	E	-
LLM-ES06-M	External mounting clip	-	Metal	-	F	-
LLM-ES06-P	External mounting clip	-	Plastic	-	G	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	H	-
LLM-CL01-M	Suspension kit	2m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2m	Metal	-	L	-



LLP-AN06-20


Available in 2m for LED strips up to 8 mm width




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -4%)



Opal cover
(light reduction: -14%)



Frosted cover
(light reduction: -19%)

END CAPS



A


Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN06-20-S2	Corner profile	2m	Anodized aluminium	Silver		-
LLP-AN06-20-S3	Corner profile	3m	Anodized aluminium	Silver		-
LLD-20-UK2	Round transparent cover	2m	Polycarbonate	-		-
LLD-20-UM2	Round opal cover	2m	Polycarbonate	-		-
LLD-20-UM3	Round opal cover	3m	Polycarbonate	-		-
LLD-20-US2	Round frosted cover	2m	Polycarbonate	-		-
LLE-AN06-GP-F	End cap for furniture	-	Plastic	A		-




LLP-WL01-03

Available in 2m for LED strips up to 14 mm width

COVERS




PHOTOMETRIC CURVE





— C0-C180 — C90-C270

Transparent cover
(light reduction: ~20%)



— C0-C180 — C90-C270

INSTALLATION



END CAPS

55° lens cover
(light reduction: ~10%)



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL01-03-S2	Wall profile	2m	Anodized aluminium	Silver		–
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black cover		320 pcs
LLD-03-XK2-L2	55° lens	2m	Polycarbonate	–		–
LLE-WL01L-GP-U	Left end cap	–	Plastic	A		–
LLE-WL01R-GP-U	Right end cap	–	Plastic	B		–
LLM-IN07-M	Mounting clip	–	Metal	C		–


LLP-WL02-03

Available in 2m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -16%)




INSTALLATION



END CAPS



MOUNTING CLIPS



A

B



C

Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL02-03-S2	Wall profile	2m	Anodized aluminium	Silver		50 pcs
LLP-WL02-03-W2	Wall profile	2m	Painted aluminium	White		50 pcs
LLD-03-FK2	Transparent cover	2m	Polycarbonate	–		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	–		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	–		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	–		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black cover		320 pcs
LLD-03-XK2-L2	56° lens	2m	Polycarbonate	–		–
LLE-WL02L-GP-U / LLE-WL02L-WP-U	Left end cap	–	Plastic	Grey / White	A	–
LLE-WL02R-GP-U / LLE-WL02R-WP-U	Right end cap	–	Plastic	Grey / White	B	–
LLM-IN04-M	Mounting clip	–	Metal	–	C	–



LLP-WL03-01


Available in 2m for LED strips up to 17 mm width




COVERS



PHOTOMETRIC CURVE




High opal cover
(light reduction: -37%)




Flat opal cover
(light reduction: -43%)

INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL03-01-S2	Wall profile	2m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-		190 pcs
LLE-WL03-GP-N	End cap	-	Plastic	Grey	A	125 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-IN08-M	Mounting clip	-	Metal	-	C	-




LLP-WL04-05

Available in 2m and 3m for LED strips up to 18 mm width

COVERS



INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL04-05-S2	Wall profile	2m	Anodized aluminium	Silver		-
LLP-WL04-05-BB2	Wall profile		Anodized aluminium	Brushed Black		-
LLP-WL04-05-W2 / LLP-WL04-05-W3	Wall profile	2m / 3m	Painted aluminium	White		-
LLD-05-FK2	Transparent cover	2m	Polycarbonate	-		-
LLD-05-FM2-C20 / LLD-05-FM3-C20	Opal cover	2m / 3m	Polycarbonate	-		-
LLD-05-FS2	Frosted cover	2m	Polycarbonate	-		-
LLE--WL04-SM-U	End cap without hole	-	Metal	Grey	A	-
LLE--WL04-WM-U	End cap without hole	-	Matal	White	A	-
LLM-IN08-M	Mounting clip	-	Metal	-	B	-




LLP-CC01-06


Available in 3m for LED strips up to 12mm width



COVERS




PHOTOMETRIC CURVE



High Opal cover: -64%
High Frosted cover: -63%

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CC01-06-G3	Profile for concrete	3m	PVC	Grey		-
LLD-06-CM3	Opal cover	3m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	-		30 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-



LLP-CL01-06

Available in 3m for LED strips up to 15 mm width




COVERS





INSTALLATION




Photometric curves carried out changing the position of lower cover




— C0-C180 — C90-C270
Outside opal cover: -32%
Outside frosted cover: -32%



— C0-C180 — C90-C270
Flat opal cover: -41%
Flat frosted cover: -41%



Photometric curves carried out using the lens covers



MOUNTING CLIPS

END CAPS







Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL01-06-S3	Suspended profile	3m	Anodized aluminium	Silver		8 pcs
LLP-CL01-06-B3	Suspended profile	3m	Anodized aluminium	Black		8 pcs
LLP-CL01-06-W3	Suspended profile	3m	Painted aluminium	White		8 pcs
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver		–
LLD-06-CM3	Opal cover	3m	Polycarbonate	–		30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	–		30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	–		–
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	–		–
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	–		–
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	–		–
LLE-CL01-SM-U	End cap	–	Aluminium	Silver	A	–
LLE-CL01-BM-U / LLE-CL01-WM-U	End cap	–	Aluminium	Black / White	A	–
LLE-D06C-WP-X	White end cap for diffuser	–	Plastic	White	B	–
LLM-AC01-M	Straight connector	–	Metal	–	C	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	D	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	E	–
LLM-AC04-M	90° vertical connector	–	Metal	–	F	–
LLM-SP02-M	Mounting spring	–	Metal	–	G	–
LLM-CL01-M	Suspension kit	2m	Metal	–	H	–
LLM-CL02-M	Suspension kit	2m	Metal	–	I	–


LLP-CL02-07

Available in 2m and 3m for LED strips up to 35 mm width


COVERS





— C0-C180 — C90-C270
Outside opal cover: -39%
Outside frosted cover: -42%




Photometric curves carried out
changing the position of lower cover




— C0-C180 — C90-C270
Inside opal cover: -39%
Inside frosted cover: -41%





— C0-C180 — C90-C270
Flat opal cover: -40%
Flat frosted cover: -43%





Photometric curves carried out changing the position of upper covers





— C0-C180 — C90-C270
Semiopal cover
(light reduction -31%)




— C0-C180 — C90-C270
Transparent cover
(light reduction -26%)



— C0-C180 — C90-C270
Lens 54° cover
(light reduction -28%)



— C0-C180 — C90-C270
Opal cover: -44%
Frosted cover: -48%



END CAPS



A



H



G




F



E



D



C



B



L



I

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL02-07-S2 / LLP-CL02-07-S3	Suspended profile	2m / 3m	Anodized aluminium	Silver		–
LLP-CL02-07-B3 / LLP-CL02-07-W3	Suspended profile	3m	Anodized / Painted	Black / White		–
LLP-HS02-00-S2 / LLP-HS02-00-S3	Heatsink	2m / 3m	Anodized aluminium	Silver		–
LLD-07-CM2 / LLD-07-CM3	Opal cover	2m / 3m	Polycarbonate	–		–
LLD-07-CS2 / LLD-07-CS3	Frosted cover	2m / 3m	Polycarbonate	–		–
LLD-03-FK2 / LLD-03-FK3	Upper transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Upper opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Upper semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Upper frosted cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	Upper 54° lens	2m / 3m	PMMA	–		–
LLE-CL02-SM-U	End cap	–	Aluminium	Silver	A	–
LLE-CL02-BM-U / LLE-CL02-WM-U	End cap	–	Aluminium	Black / White	A	–
LLE-D07C-WP-X	White end cap for diffuser	–	Plastic	White	B	–
LLM-IN06-M	Mounting clip for heatsink	–	Metal	–	C	–
LLM-AC01-M	Straight connector	–	Metal	–	D	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	E	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	F	–
LLM-AC04-M	90° vertical connector	–	Metal	–	G	–
LLM-SP02-M	Mounting spring	–	Metal	–	H	–
LLM-CL01-M	Suspension kit	2m	Metal	–	I	–
LLM-CL02-M	Suspension kit	2m	Metal	–	L	–



LLP-CL04-18



Available in 3m for LED strips up to 50 mm width

COVERS




Biemission Opal: -37%
Biemission Frosted: -38%

PHOTOMETRIC CURVE



INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL04-18-S3	Suspended profile	3m	Anodized aluminium	Silver	-	-
LLP-CL04-18-B3	Suspended profile	3m	Anodized aluminium	Black	-	-
LLP-CL04-18-W3	Suspended profile	3m	Painted aluminium	White	-	-
LLP-CL04-00-S3	Aluminium plate	3m	Anodized aluminium	Silver	-	-
LLP-CL04-00-W3	Aluminium plate	3m	Painted aluminium	White	-	-
LLP-CL04-00-B3	Aluminium plate	3m	Anodized aluminium	Black	-	-
LLD-18-FM3	Opal cover	3m	Polycarbonate	-	-	-
LLD-18-FS3	Frosted cover	3m	Polycarbonate	-	-	-
LLE-CL04-GP-U	End cap without hole	-	Plastic	Grey	A	-
LLE-CL04-WP-U	End cap without hole	-	Plastic	White	A	-
LLE-CL04-BP-U	End cap without hole	-	Plastic	Black	A	-
LLM-CL01-M	Suspension kit	2m	Metal	-	B	-
LLM-CL02-M	Suspension kit	2m	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-AC01-M	Straight connector	-	Metal	-	E	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	F	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	G	-
LLM-AC04-M	90° vertical connector	-	Metal	-	H	-




Available in 2m for LED strips up to 20 mm width

COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -13%)



INSTALLATION



END CAPS



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE01-14-S2	Round profile	2m	Anodized aluminium	Silver		100 pcs
LLD-14-RM2	Opal cover	2m	Polycarbonate	–		60 pcs
LLE-NE0102-GP-N	End cap without hole	–	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	–	Plastic	Grey	B	125 pcs
LLM-CL01-M	Suspension kit	2m	Metal	–	C	–
LLM-CL02-M	Suspension kit	2m	Metal	–	D	–
LLM-SP02-M	Mounting spring	–	Metal	–	E	–
LLM-AC01-M	Straight connector	–	Metal	–	F	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	G	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	H	–
LLM-AC04-M	90° vertical connector	–	Metal	–	I	–



LLP-NE02-15


Available in 2m for LED strips up to 18 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -13%)



END CAPS



A

B




C

Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE02-15-S2	Waterproof round profile	2m	Anodized aluminium	Silver		-
LLD-15-WM2	Opal cover	2m	Polycarbonate	-		-
LLE-NE0102-GP-N	End cap without hole	-	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	-	Plastic	Grey	B	125 pcs
LLE-D15W-WS-U	Internal end cap	-	Silicone	White	C	120 pcs



LLP-NE03-17


Available in 2m for LED strips up to 15 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



MOUNTING CLIPS

END CAPS



B




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE03-17-S2	Round profile	2m	Anodized aluminium	Silver		-
LLD-17-RM2	Opal cover	2m	Polycarbonate	-		-
LLE-NE03-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-NE03-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-CL03-M	Suspension kit	2m	Metal	-	B	-



LLP-NE04-19


Available in 2m for LED strips up to 22mm width



COVERS




PHOTOMETRIC CURVE



Opal cover
(light reduction: -32%)



INSTALLATION



MOUNTING CLIPS

END CAPS



H



G



F



E



D



C



B



A



Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE04-19-S2	Round profile	2m	Anodized aluminium	Silver		100 pcs
LLD-19-RM2	Opal cover	22m	Polycarbonate	–		60 pcs
LLE-NE04-WP-U	End cap without hole	–	Plastic	White	A	125 pcs
LLM-CL01-M	Suspension kit	2m	Metal	–	B	–
LLM-CL02-M	Suspension kit	2m	Metal	–	C	–
LLM-SP02-M	Mounting spring	–	Metal	–	D	–
LLM-AC01-M	Straight connector	–	Metal	–	E	–
LLM-AC02-M	120° horizontal connector	–	Metal	–	F	–
LLM-AC03-M	90° horizontal connector	–	Metal	–	G	–
LLM-AC04-M	90° vertical connector	–	Metal	–	H	–

LLP-TI01-11


Available in 3m for LED strips up to 10 mm width




COVERS




PHOTOMETRIC CURVE



Opal cover: -42%
Frosted cover: -43%



INSTALLATION



END CAPS





A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI01-11-S3	Tiling waterproof profile	3m	Anodized aluminium	Silver		-
LLP-AC02-00-S3	Flat bar	3m	Anodized aluminium	Silver		-
LLD-11-WM3	Opal cover	3m	Polycarbonate	-		-
LLD-11-WS3	Frosted cover	3m	Polycarbonate	-		-
LLE-D11W-WS-U	End cap	-	Silicone	White	A	550 pcs



LLP-TI02-10


Available in 3m for LED strips up to 17mm width



COVERS




PHOTOMETRIC CURVE



Frosted cover
(light reduction: -26%)

INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI02-10-W3	Tiling profile	3m	Anodized aluminium	White		-
LLD-10-LS3	Frosted cover	3m	Polycarbonate	-		-



LLP-TI03-10


Available in 3m for LED strips up to 17 mm width



COVERS




PHOTOMETRIC CURVE



Frosted cover
(light reduction: ~26%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI03-10-S3	Tiling profile	3m	Anodized aluminium	Silver		-
LLP-TI03-10-W3	Tiling profile	3m	Painted aluminium	White		-
LLD-10-LS3	Frosted cover	3m	Polycarbonate	-		-





LLP-ST01-00


Available in 2,5 m for neon flex up to 6 mm width



PHOTOMETRIC CURVE




INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-ST01-00-S2.5	Profile for step	2.5 m	Anodized aluminium	Silver		-
LLP-ST01-00-B2.5	Profile for step	2.5 m	Anodized aluminium	Black		-

LLP-FL01-21


Available in 2m for LED strips up to 12mm width



COVERS



PHOTOMETRIC CURVE



Opal cover
(light reduction: -49%)



INSTALLATION



END CAPS



A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL01-21-S2	Tiling profile	3m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3m	Polycarbonate	-		-
LLE-FL01-SM-U	End cap	3m	Stainless steel	Silver		-




LLP-FL02-21

Available in 2m for LED strips up to 15 mm width


COVERS



INSTALLATION




PHOTOMETRIC CURVE



Opal cover
Strip lying on profile bottom
(light reduction: -75%)

END CAPS



Opal cover
Strip lifted on plate
(light reduction: -49%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL02-21-S2	Tiling profile	3m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3m	Polycarbonate	-		-
LLE-FL02-SM-U	End cap	3m	Stainless steel	Silver		-
LLP-AC01-00-S3	Flat bar	3m	Anodized aluminium	Silver		-


LLP-FL03-21

Available in 2m for LED strips up to 15 mm width

COVERS



PHOTOMETRIC CURVE



INSTALLATION



END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-FL03-21-S2	Tiling profile	3m	Anodized aluminium	Silver		-
LLD-21-FM2	Opal cover	3m	Polycarbonate	-		-
LLE-FL03-SM-U	End cap	3m	Stainless steel	Silver		-




LLP-DW01-03

Available in 3m for LED strips up to 14 mm width




INSTALLATION




COVERS




PHOTOMETRIC CURVE




Transparent cover 40°
(light reduction -41%)



Semiopal cover
(light reduction: -45%)



Opal cover: -59%
Frosted cover: -60%



14° lens cover
(light reduction: -41%)




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW01-03-W2	Drywall profile	2m	Painted aluminium	White		-
LLP-DW01-03-W3	Drywall profile	3m	Painted aluminium	White		24 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	14° lens	2m / 3m	PMMA	-		-



LLP-DW02-03

Available in 2m for LED strips up to 16 mm width

T



INSTALLATION




(light reduction: -38%)

COVERS




PHOTOMETRIC CURVE




— C0-C180 — C90-C270

Transparent cover
(light reduction -38%)



— C0-C180 — C90-C270

Semiopal cover
(light reduction: -42%)



— C0-C180 — C90-C270


Opal cover: -56%
Frosted cover: -58%

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW02-03-S2	Drywall profile	2m	Anodized aluminium	Silver		—
LLD-03-FK2	Transparent cover	2m	Polycarbonate	—		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	—		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	—		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	—		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black cover		320 pcs
LLD-03-XK2-L2	13° lens	2m	Polycarbonate	—		—



LLP-DW03-03

Available in 3m for LED strips up to 13mm width




INSTALLATION




COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction -35%)



Opal cover: -53%



Frosted cover: -59%


Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW03-03-S3	Drywall profile	3m	Anodized aluminium	Silver		-
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-		180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White		180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black cover		180 pcs
LLD-03-XK3-L2	11° lens	3m	Polycarbonate	-		-







LLP-DW04-06

Available in 3m for LED strips up to 15 mm width



COVERS





INSTALLATION



Photometric curves carried out
changing the position of lower cover




— C0-C180 — C90-C270
Flat opal cover: -41%
Flat frosted cover: -41%




— C0-C180 — C90-C270
Outside opal cover: -32%
Outside frosted cover: -32%

Photometric curves carried out using the lens covers



INSTALLATION



END CAPS

MOUNTING CLIPS






Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW04-06-W3	Drywall profile	3m	Painted aluminium	White		-
LLP-HS05-00-S3	Heatsink	3m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3m	Polycarbonate	-		30 pcs
LLD-06-XK1-L1	Lens 52°	1.176 m	Polycarbonate	-		-
LLD-06-XK1-L2	Lens 90°	1.176 m	Polycarbonate	-		-
LLD-06-XK1-L3	Asymmetric lens	1.176 m	Polycarbonate	-		-
LLD-06-XK1-L4	Lens with double asymmetry	1.176 m	Polycarbonate	-		-
LLE-DW04-SM-U	End cap	-	Aluminium	Silver	A	-
LLM-AC01-M	Straight connector	-	Metal	-	B	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	C	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	D	-
LLM-AC04-M	90° vertical connector	-	Metal	-	E	-




LLP-DW05-07


Available in 3m for LED strips up to 35 mm width




COVERS



PHOTOMETRIC CURVE



Outside opal cover: -39%
Outside frosted cover: -40%




Flat opal cover: -41%
Flat frosted cover: -42%

INSTALLATION



END CAPS



MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW05-07-W3	Drywall profile	3m	Painted aluminium	White		-
LLP-HS02-00-S3	Heatsink	3m	Anodized aluminium	Silver		-
LLD-07-CM3	Opal cover	3m	Polycarbonate	-		-
LLD-07-CS3	Frosted cover	3m	Polycarbonate	-		-
LLE-DW05-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-D07C-WP-X	White end cap for diffuser	-	Plastic	White	B	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-


LLP-DW06-02

Available in 3m for LED strips up to 6 mm width


COVERS



PHOTOMETRIC CURVE



Opal cover: -55%
Frosted cover: -59%



INSTALLATION





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW06-02-W3	Drywall profile	3m	Painted aluminium	White		-
LLD-02-FM3	Opal cover	3m	Polycarbonate	-		300 pcs
LLD-02-FS3	Frosted cover	3m	Polycarbonate	-		300 pcs



LLP-DW07-01


Available in 2 and 3m for LED strips up to 18 mm width



COVERS




PHOTOMETRIC CURVE



CS-C180 CS-C270

High opal cover
(light reduction: -25%)




CS-C180 CS-C270

Low opal cover
(light reduction: -31%)

INSTALLATION



END CAPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW07-01-W2 / LLP-DW07-01-W3	Drywall profile	2m / 3m	Painted aluminium	White		35 pcs
LLD-01-CM2 / LLD-01-CM3 / LLD-01-CS3	High opal / frosted cover	2m / 3m	Polycarbonate	-		120 pcs
LLD-01-FM2 / LLD-01-FS2 / LLD-01-FM3	Low opal / frosted cover	2m / 3m	Polycarbonate	-		190 pcs
LLE-DW07-SM-U	End cap	-	Galvanized sheet	Silver	A	-
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs




LLP-DW08-03

Available in 2 and 3m for LED strips up to 14 mm width


COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -21%)



Semiopal cover
(light reduction: -24%)



Opal cover: -37%
Frosted cover: -40%

INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW08-03-W2 / LLP-DW08-03-W3	Drywall profile	2m / 3m	Painted aluminium	White		-
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-		180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-		180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-		180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-		180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	18° lens	2m / 3m	PMMA	-		-



LLP-DW09-01


Available in 2m for LED strips up to 17 mm width



COVERS



PHOTOMETRIC CURVE



Low opal cover
(light reduction: -35%)

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW09-01-W2	Drywall profile	2m	Painted aluminium	White		-
LLD-01-FM2 / LLD-01-FS2	Low opal / frosted cover	2m	Polycarbonate	-		190 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-



LLP-DW10-05


Available in 3m for LED strips up to 24 mm width




COVERS



PHOTOMETRIC CURVE




Transparent cover
(light reduction: -20%)



Opal cover
(light reduction: -37%)

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW10-05-W3	Drywall profile	3m	Painted aluminium	White		-
LLD-05-FK3	Transparent cover	3m	Polycarbonate	-		140 pcs
LLD-05-FM3-C20	Opal cover	3m	Polycarbonate	-		140 pcs
LLD-05-FS3	Frosted cover	3m	Polycarbonate	-		140 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	B	-
LLM-AC04-M	90° vertical connector	-	Metal	-	C	-




LLP-DW11-03

Available in 3m for LED strips up to 17 mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 50°
(light reduction: -37%)



Semiopal cover 67°
(light reduction: -40%)



Opal cover: -50%
Frosted cover: -54%



35° lens cover
(light reduction: -28%)

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW11-03-W3 / LLP-DW11-03-W3	Drywall profile	2m / 3m	Painted aluminium	White		-
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	35° lens	2m / 3m	PMMA	-		-
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-
LLE-DW11-SM-U	End cap	-	Galvanized sheet	Silver	E	-



LLP-DW14-03


Available in 3m for LED strips up to 14 mm width




COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -22%)



Semiopal cover
(light reduction: -25%)




Opal cover: -49%
Frosted cover: -39%



60° lens cover
(light reduction: -19%)

INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW14-03-W3	Drywall profile	3m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-		180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White		180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black		180 pcs
LLD-03-XK3-L2	60° lens	3m	PMMA	-		-




LLP-DW15-03

Available in 3m for LED strips up to 14 mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover 70°
(light reduction: -23%)




Semiopal cover 78°
(light reduction: -27%)



Opal cover: -41%
Frosted cover: -45%




Black
(light reduction: -87%)



40° lens cover
(light reduction: -18%)

INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW15-03-W3	Drywall profile	3m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-		180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White		180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black		180 pcs
LLD-03-XK3-L2	40° lens	3m	PMMA	-		-



LLP-DW16-03


Available in 3m for LED strips up to 14 mm width




COVERS



PHOTOMETRIC CURVE



Transparent cover
(light reduction: -10%)



Opal cover
(light reduction: -26%)

INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW16-03-W3	Drywall profile	3m	Painted aluminium	White		-
LLD-03-FK3	Transparent cover	3m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3m	Polycarbonate	-		180 pcs
LLD-03-FW3	Frosted white cover	3m	Polycarbonate	White		180 pcs
LLD-03-FB3	Black cover	3m	Polycarbonate	Black		180 pcs
LLD-03-XK3-L2	60° lens	3m	PMMA	-		-
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-



LLP-BB01-02


Available in 2m for LED strips up to 10 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover: -68%
Frosted cover: -69%

INSTALLATION



MOUNTING CLIPS





A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB01-02-S2	Baseboard profile	2m	Anodized aluminium	Silver		-
LLD-02-FM2	Opal cover	2m	Polycarbonate	-		300 pcs
LLD-02-FS2	Frosted cover	2m	Polycarbonate	-		300 pcs
LLM-IN05-P	Mounting clip	-	Plastic	-	A	-




Available in 2m for LED strips up to 6 mm width



COVERS




PHOTOMETRIC CURVE



Opal cover: -65%
Frosted cover: -67%

INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB02-02-S2	Baseboard profile (rear part)	2m	Anodized aluminium	Silver	-	-
LLP-BB03-00-S2	Baseboard profile (front part)	2m	Anodized aluminium	Silver	-	-
LLP-BB03-00-B2	Baseboard profile (front part)	2m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2m	Polycarbonate	-	-	300 pcs
LLD-02-FS2	Frosted cover	2m	Polycarbonate	-	-	300 pcs


LLP-HR01-0203

Available in 6 m for LED strips up to 6 mm and 12mm width


COVERS



INSTALLATION




— C0-C180 — C90-C270
Frosted cover





Article	Description	Length	Material	Color	Picture	Packaging
LLP-HR01-0203-S6	Handrail profile	6 m	Anodized aluminium	Silver		–
LLD-02-FM2 / LLD-02-FM3	Opal cover	2m / 3m	Polycarbonate	–		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2m / 3m	Polycarbonate	–		300 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	–		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-XK2-L2 / LLD-03-XK3-L2	60° lens	2m / 3m	PMMA	–		–







— C0-C180 — C90-C270

Transparent cover
(light reduction: -17%)




— C0-C180 — C90-C270

60° lens cover
(light reduction: -17%)




— C0-C180 — C90-C270

Transparent cover



— C0-C180 — C90-C270


Transparent cover




LLP-SH01-03

Available in 2m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE



Transparent cover
(light reduction: -19%)



Semiopal cover
(light reduction: -23%)



INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH01-03-S2	Shelf profile	2m	Anodized aluminium	Silver		-
LLP-SH01-03-B2	Shelf profile	2m	Anodized aluminium	Black		-
LLP-SH01-03-W2	Shelf profile	2m	Painted aluminium	White		-
LLD-03-FK2	Transparent cover	2m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	-		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black		320 pcs
LLE-SH01S-GP-N	Left end cap without hole	-	Plastic	Grey	A	-
LLE-SH01D-GP-N	Right end cap without hole	-	Plastic	Grey	B	-
LLE-SH01S-WP-N	Left end cap without hole	-	Plastic	White	A	-
LLE-SH01D-WP-N	Right end cap without hole	-	Plastic	White	B	-




LLP-SH02-03

Available in 2 and 3m for LED strips up to 12mm width


COVERS




PHOTOMETRIC CURVE




Transparent cover
(light reduction: -25%)



Semiopal cover
(light reduction: -28%)



INSTALLATION






Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH02-03-S2 / LLP-SH02-03-S3	Shelf profile	2m / 3m	Anodized aluminium	Silver		-
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2m / 3m	Polycarbonate	-		320 / 180 pcs
LLD-03-FW2 / LLD-03-FW3	Frosted white cover	2m / 3m	Polycarbonate	White		320 / 180 pcs
LLD-03-FB2 / LLD-03-FB3	Black cover	2m / 3m	Polycarbonate	Black		320 / 180 pcs




LLP-SH03-03

Available in 2m for LED strips up to 12mm width




INSTALLATION




COVERS



PHOTOMETRIC CURVE



Transparent cover
(light reduction: -33%)



Semiopal cover
(light reduction: -36%)

END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH03-03-S2	Shelf profile	2m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	-		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black		320 pcs
LLE-SH03-GP-U	End cap		Plastic	Grey	A	-





LLP-WB01-00


Available in 2m for 6 mm Neon Flex



PHOTOMETRIC CURVE



INSTALLATION



MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WB01-00-S2	Wardrobe profile	2m	Anodized aluminium	Silver		-




Available in 2m for LED strips up to 12mm width


COVERS



Opal cover
(light reduction: -62%)



INSTALLATION



MOUNTING CLIPS

























































Article	Description	Length	Material	Color	Picture	Packaging
LLP-MR01-03-S2	Mirror profile	2m	Anodized aluminium	Silver		-
LLP-MR01-03-B2	Mirror profile	2m	Anodized aluminium	Black		-
LLD-03-FK2	Transparent cover	2m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2m	Polycarbonate	-		320 pcs
LLD-03-FW2	Frosted white cover	2m	Polycarbonate	White		320 pcs
LLD-03-FB2	Black cover	2m	Polycarbonate	Black		320 pcs
LLM-AC06-M	90° horizontal connector	-	Metal	-	A	-
LLM-AC07-M	90° vertical connector	-	Metal	-	B	-



Matching between covers and profiles







HOW DO YOU BREAK DOWN LIGHTING LINE CODES?

Profiles

LLP	Dash	Type	Progressive n.	Dash	Cover	Dash	Colour	Length
LLP	-	SL	08	-	03	-	S	2
LLP	-	SL	08	-	03	-	B	3
Type			Colour					
SL		Surface (Slim Line)	S		Silver			
RE		Recessed	B		Black			
AN		Corner	W		White			
CL		Ceiling	Some profiles are designed to provide different fits of the diffuser, which can be positioned according to the desired lighting effect. The larger ones can accommodate a slim power supply inside. Caps, mounting clips and heat sinks are to be provided to complement the profiles. For more detailed information on the mounting and the accessories required, please see the catalog pages dedicated to the codes of interest.					
ST		Step						
DW		Drywall						
TI		Tiles						
WL		Wall						
BB		Baseboard						
CC		Concrete						
FL		Floor						
NE		Neon						
SH		Shelves						
WB		Wardrobe						
MR		Mirror						

Covers

LLD	Dash	Progressive n.	Dash	Tipologia	Opacity	Length
LLD	-	03	-	F	K	2
LLD	-	03	-	F	M	2
LLD	-	03	-	F	S	3
		Type	Opacity			
		F	Flat		K	Transparent
		U	Round		H	Semiopal
		C	Three-sided		M	Opal
		R	Circular		S	Frosted
		L	L-shaped		B	Black
		W	Waterproof			
		P	Walkable			
		X	Lens			

End caps

LLE	Dash	Type	Prog. n.	R/L	Dash	Colour	Material	Dash	Model
LLE	-	SL	08		-	G	P	-	N
LLE	-	SL			-	B	P	-	W
LLE		SL				W	P	-	F
		Material	Model						
		P	Plastic		N		Without hole		
		M	Metal		W		With hole		
		S	Silicone		U		Unique		
		3D	3D print		F		Furniture		

Mounting clips

LLM	Dash	Tipologia	Progressive n.	Dash	Material
LLM	-	ES	01	-	M
LLM	-	ES	01	-	P
Type		Material			
IN	Internal	M	Matal		
ES	External	P	Plastic		
SP	Special				
CL	Ceiling				
AC	Accessories				

PLEASE NOTE: The codes used in the example refer to SL08 model profiles and accessories.





LIGHTING LINE

Head office

V. Nagevičiaus g. 3
LT-08237 Vilnius (LT)
+370 52 559408

Production unit

Zhongshan, Guangdong
China

info@lightingline.eu
www.lightingline.eu